MIRANDA HOUSE UNIVERSITY OF DELHI

Date: 22.08.2022

Notice Inviting Quotation

Sealed quotation an invited from the civil working contractors of the College/ CPWD/ Delhi University. "Repair and renovation in DRC Lab room no 107,108".

Publishing Date	24/08/2022 1:00 P.M.			
	212445/-			
Estimated Cost	200/- (Bank Draft In favour of Principal Miranda			
Quotation Fee	House.)			
Completion Time	30 Days			
Quotation Submission Date	31/08/2022			
Quotation Opening Date	01/09/2022			

- Bids will be opened as per date/time on mentioned above.
- Bidder has down loaded the Quotation from the college website.
- The above Quotation should reach Miranda House College Office by hand on or before 31/08/2022 up to 4:00 p.m.
- The tender fee is non- Replaceable.
- The unit rate for any items should be Quotation inclusive of GST.
- For general rules and directive condition of Contract, the tender shall refer to "CPWD General Condition of Contract – 2014". Except for exception mentioned in this document, which will form a part of the Agreement will up to date correction slips.

The above draft/ banker's Cheque should reach Miranda House, University of Delhi, Delhi 110007 in person on or before 31.08.2022 upto 03.00PM.

Principal

24.8.2022

MIRANDA HOUSE UNIVERSITY OF DELHI REPAIR AND RENOVATION IN DRC LAB ROOM NO 107,108. QUOTATION AMOUNT RATE UNIT QTY **ITEMS** S.NO Dismantling old plaster or skirting raking out 55 Sqm joints and cleaning the surface for plaster 1 including disposal of rubbish to the dumping ground within 50 metres lead. Disposal of building rubbish / malba / similar unserviceable, dismantled or waste 15 Cum materials by mechanical means, including 2 loading, transporting, unloading to approved municipal dumping ground or as approved by Engineer-in-charge, beyond 50 m initial lead, for all leads including all lifts involved. Renewing glass panes, with putty and nails wherever necessary including racking out 6 Sqm 3 the old putty: 14.5.1 Float glass panes of nominal thickness 4 mm (weight not less than 10kg/sqm) sqm 890.5 Painting with synthetic enamel paint of approved brand and manufacture of 80 Sqm 4 required colour to give an even shade: 13.99.1 One or more coats on old work Removing dry or oil bound distemper, water proofing cement paint and the like by 450 Sqm 5 scrapping, sand papering and preparing the surface smooth including necessary repairs to scratches etc. complete. 15 mm cement plaster on the rough side of single or half brick wall of mix: 13.2.1 1:4 (1 20 Sqm 6 cement: 4 fine sand) Distempering with oil bound washable distemper of approved brand and manufacture to give an even shade: 13.41.1 450 Sqm

7

New work (two or more coats) over and including water thinnable priming coat with

cement primer.

8	Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete. sqm 115.1	200	Sqm	
9	Providing and fixing Ist quality ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete. sqm 1030.30	52	Sqm	
10	Repair of door and window carpantry work (Provide carpanter)	4	day	
11	Dr Fixit URP 301 Chemical coating on wall surface.	60	Sqm	
12	Repair of Rain water pipe 100 mm dia pipe clean ,clamping,painting,and clean the drain and remove the plants.	10	Mtr	

	DESCRIPTION OF THE PROPERTY OF		mi an		
system (up to se dia M.S. horizont	g and fixing double scaffolding cup lock type) on the exterior side, ven story height made with 40 mm tube 1.5 m centre to centre, cal & vertical tubes joining with cup system with M.S. tubes, M.S. tube		550		
challies, system platform services duration after .Th stiffene with the	M.S. clamps and M.S. staircase in the scaffolding for working in etc. and maintaining it in a able condition for the required in as approved and removing it there are scaffolding system shall be divided with bracings, runners, connection is building etc wherever required for on of work at required locations	120	Sqm		
with ess workme and app elevation measur paymen	sential safety features for the en etc. complete as per directions proval of Engineer[1]in-charge .The enal area of the scaffolding shall be ed for payment purpose .The ent will be made once irrespective of a of scaffolding sqm 257.9				
Disman	tling old 100mm cast iron rain water place with new pipe.	40	mtr	7	1.54
Cleanin	g of wall surface with sand vire brush, clean water.	40	Sqm		

*